

# RADICAL CEILING FAN



Polished Aluminium

**Installation Locations:**

Indoor and outdoor (provided the fan is fully undercover)  
(Brushed Aluminium not recommended outdoor)

**Standard Canopy Cover:**

Suitable for flat and pitched ceilings up to 38°

**Recommended Height:**

There should be at least 2.1m between the lowest point of the fan blades and the floor.

**Wall Controller Speed Capacitor Values:**

N/A

**Top of canopy cover to lowest point of the fan:**

Approximately 312mm

**Rotational Diameter:**

1520mm (60") blade sweep

**Ceiling to top side of the blade:**

Approximately 255mm

**Motor:**

16 Pole, 144mm x 62mm DC motor  
Made with high grade copper windings and silicone steel stator. Bearings are sealed to ensure quiet operation and long life.

**Weight Including Packaging:**

Complete fan: 7.1kg

**Top Canopy & Downrod:**

Materials: Die-Cast Aluminium

**Packaging Dimensions (cm):**

Complete Fan: 80.5L x 34W x 24H

**Accessories (Supplied separately):**

Extension Down Rod 26mm diameter  
T-Hook for ceiling roses

**Available Colours:**

White, Matt Black, Brushed Aluminium and Polished Aluminium

**Blades:**

Sizes: 1520mm (60")  
Materials: Plastic  
Blade Pitch: 12°

**Warranty**

1 year standard warranty "in home" on electronic parts  
2 years standard warranty "in home" on mechanical parts (including motors)  
3 years extended warranty on motor only (excluding labour)

**Available Blade Colours:**

White, Matt Black, Silver and Bamboo

**Extra Information:**

Introduced into the HPI range in 2014  
6 Speed remote controller  
Reversible

**Airflow and Efficiency:**

Airflow measured in Australia using the "Energy Star Solid-State Test Method", the only test method recognised for USA Energy Star compliance.

	Boost Mode	Speed 5	Speed 4	Speed 3	Speed 2	Speed 1
<b>RPMS</b>	175	157	135	111	84	56
<b>WATTS</b>	34	25.60	17.10	11.30	7.20	5
<b>AIRFLOW:</b> CFM* / CMH*	9452/16059	8411/14291	7092/12050	5905/10032	4371/7427	2924/4969
<b>EFFICIENCY</b> <sup>^</sup> : (CFM / Watt) / (CMH / Watt)	278 / 472	329 / 558	415 / 705	523 / 888	607 / 1032	585 / 994

\* CFM = Cubic Feet per Minute / Cubic Meters per Hour

<sup>^</sup> Efficiency measured as airflow rate per watt.

# For full warranty details please see Hunter Pacific International's website [www.hunterpacific.com.au](http://www.hunterpacific.com.au)